

32 ACP LOAD DATA (CAUTION: ALWAYS begin loads 10% below minimal charge weight)					
Bullet (Make, type)	Powder	Start Load, grs.	Max Load, grs.	Vel., fps	Notes
60-gr HDY factory	Factory load			779-1003	All or almost all in 10-ring
60-gr HDY XTP	700x	1.80	2.60	800-1000	
60-gr HDY XTP	AA No. 2	1.70	2.60	800-950	Horandy 7th Ed. Manuel
60-gr HDY XTP	AA No. 2		2.50	1016-1045	sd=10.1; held X-ring
60-gr HDY XTP	Bullseye	1.90	2.30	850-950	Horandy 7th Ed. Manuel
60-gr HDY XTP	Clays Int'l	1.70	2.00	800-950	Horandy 7th Ed. Manuel
60-gr HDY XTP	Clays Univ.	2.40	2.60	800-1000	Horandy 7th Ed. Manuel
60-gr HDY XTP	Green Dot	2.10	2.40	800-950	Horandy 7th Ed. Manuel
60-gr HDY XTP	HP-38	1.90	2.30	800-950	Horandy 7th Ed. Manuel
60-gr HDY XTP	Titegroup		2.30	958	OAL: 0.925, 0.332 crimp; ~1.1" groups at 50yds
60-gr HDY XTP	VV N310		1.60	882	OAL 0.894; 0.330 crimp; 3.7" 10-shot group@50yds
60-gr HDY XTP	VV N310		1.80	905	OAL 0.894; 0.330 crimp; 2.2" 10-shot group@50yds
60-gr HDY XTP	VV N310		1.80	887-905	OAL 0.895 ; 0.330 taper crimp; R-P or Starline brass
60-gr HDY XTP	VV N310		1.85	905	OAL 0.894; 0.330 crimp; 2.5" 10-shot group@50yds
60-gr HDY XTP	VV N310		1.90	920	OAL 0.894; crimp 0.330 , 1.9 gr loads ~ factory
60-gr HDY XTP	VV N320	1.60	2.10	800-950	Horandy 7th Ed. Manuel
60-gr HDY XTP	Win 231	2.00	2.50	800-950	Horandy 7th Ed. Manuel
60-gr Speer GD JHP	700x	2.20	2.60	850-1060	
60-gr Speer GD JHP	Bullseye		2.60	1030	
60-gr Speer GD JHP	H. Universal		3.00	1021	
60-gr Speer GD JHP	Power Pistol	3.50	3.60	1030	
60-gr Speer GD JHP	Red Dot	2.10	2.30	1030	
60-gr Speer GD JHP	Titegroup	2.40	2.60	1058	
60-gr Speer GD JHP	Unique	2.90	3.20	971	
60-gr Speer GD JHP	VV N310	1.70	1.90	720-875	<1.0-in accuracy at 25 yds.
60-gr Speer GD JHP	Win 231	2.00	2.80	1007	
60-gr Speer GDHP	AA No. 2		2.60	963	< 1" groups at 25 yds but opened up at 50 yds.
62-gr LSWC (0.313)	AA No. 5	2.80	na	809-870	2.3-in. accuracy at 50yds
62-gr LSWC (0.313)	AA No. 5	3.00	na	851-960	2.6-in. accuracy at 50yds
62-gr LSWC (0.313)	AA No. 5	3.10	na	900-956	4.4-in. accuracy at 50yds
62-gr LSWC (0.313)	Power Pistol	2.60	2.90	869-1052	2.6-gr load = 2.7-in. accuracy at 50yds
62-gr LSWC (0.313)	Win 231	2.00	2.40	859-946	3.9-in. accuracy at 50yds
62-gr LSWC (0.313)	Win WST		1.90	980	
62-gr LSWC (0.314)	AA No. 2	1.60		919-970	2.0" at 50 yds
62-gr LSWC (0.314)	AA No. 5	2.50	2.90	767-829	OAL: 0.870, CCI primers; 2.9-gr load was 2.1" at 50 yards, sd=9.9
62-gr LSWC (0.314)	AA No. 5	3.00	na	767-829	2.90 gr. = 2.5-in. accuracy at 50yds
62-gr LSWC (0.314)	Bullseye	1.80	2.00	779-879	OAL: 0.880; all held 10-ring; 1.90-gr best load (all but 1 held X-ring)
62-gr LSWC (0.314)	Bullseye		1.97	824-875	0.885, crimp 0.325"; WSP; all tight X-ring groups at 50 yds
62-gr LSWC (0.314)	HP-38	1.60			

32 ACP LOAD DATA (CAUTION: ALWAYS begin loads 10% below minimal charge weight)					
Bullet (Make, type)	Powder	Start Load, grs.	Max Load, grs.	Vel., fps	Notes
62-gr LSWC (0.314)	Power Pistol	2.80	na	967-1056	4.6-in. accuracy at 50yds
62-gr LSWC (0.314)	Power Pistol	2.90	na	1006-1058	6.3-in. accuracy at 50yds
62-gr LSWC (0.314)	Titegroup	1.50	1.80	785	OAL 0.870; crimp 0.333; 1.7 gr. = 1.5" accuracy at 50 yds
62-gr LSWC (0.314)	TiteWad	1.15	1.20*	750	OAL 0.880, crimp 0.332; *1.20 gr.= 1.5" accuracy at 50 yds
62-gr LSWC (0.314)	TiteWad		1.40	796-827	SD=8.0; OAL 0.855, crimp 0.332; 3.9" at 50 yards
62-gr LSWC (0.314)	TiteWad		1.20*		OAL 0.860, crimp 0.332; *1.20 gr.= at 50 yds
62-gr LSWC (0.314)	VV N310	1.60	1.70	775-890	fps
62-gr LSWC (0.314)	VV N310		1.70	838-1034	OAL 0.885, crimp 0.325 (mouth), all X-ring at 50 yds;
62-gr LSWC (0.314)	VV N310		1.90	818-1034	OAL 0.885, crimp 0.325 (mouth), all X-ring at 50 yds;
62 gr SWC (0.314)	VV N310	1.60		896-924	load
62-gr LSWC (0.314)	Win 231	1.60	2.40	775-1045	1.7 gr = 1.5-in. accuracy at 50yds
62-gr LSWC (0.314)	Win 231	2.00*	2.40	890-1046	* OAL: 0.870, CCI primers, 1.58"-group at 50 yds (
62-gr LSWC (0.314)	Win WST	1.70	2.10	857-958	OAL: 0.880, crimp 0.332; Win primers
71 gr FMJ	HP-38	1.70	2.30	733-883	
71 gr FMJ	Titegroup	2.00	2.20	830	OAL: 0.978
71 gr Hndy FMJ	VV N340		3.00	1028	OAL 0.980
71 gr SIE FMJ	Titegroup	2.00	2.20	824-910	COL: 0.978
71 gr SIE FMJ	Universal	2.20	2.40	781-881	COL: 0.978
71 gr SIE FMJ	VV N310	2.00	2.20	1001	OAL 0.978
71 gr SIE FMJ	Win 231	2.10	2.30	805-871	OAL: 0.978
71-gr FMJ	700x	1.70	2.20	706-902	
71-gr FMJ	AP70N	2.20	2.40	780-880	14,900 cup
71-gr FMJ	AS30N	1.50	1.70	745-830	15,000 cup
71-gr SIE FMJ	AA No. 2	2.00	2.20	572-650	19300 psi
71-gr SIE FMJ	AA No. 5	2.90	3.20	619-703	19700 psi
71-gr SIE FMJ	AutoComp	2.70	3.00	879-937	COL: 0.978
71-gr SIE FMJ	Bullseye	2.00	2.20	835	
75 gr Rimrock RNFP	Win WST	1.70	2.10	857-958	OAL 0.925; 2.1gr = 2.3-in group at 50 yds
75-gr Rimrock RNFP	Bullseye	1.70	2.60	803-1067	SD=27.5; OAL 0.901; crimp: 0.332; 2.82" at 50 yards
75-gr Rimrock RNFP	Bullseye	2.00		833-914	OAL=0.915
75-gr Rimrock RNFP	Titegroup	1.90		817-837	SD=9.0; OAL 0.901; crimp: 0.332; 4.99" at 50 yards
75-gr Rimrock RNFP	Titegroup	2.00			0.940 OAL; 0.332 crimp, 2.6" at 50 yds
75-gr Rimrock RNFP	Titegroup	2.30	2.50	1089	0.915 OAL
75-gr Rimrock RNFP	VV N310	1.60		783-812	SD=7.0; OAL 0.901; crimp 0.332; 5.2" group@50yds (5 shots were
75-gr Rimrock RNFP	VV N320	2.30	2.50	1074	0.915 OAL
75-gr Rimrock RNFP	Win 231	2.40	2.70	1069	0.915 OAL
75-gr Rimrock RNFP	Win WST	1.90		810-853	SD=17.3; OAL 0.901; crimp: 0.332; 2.38" at 50 yd
75-gr Rimrock RNFP	Win WST	2.00			SD=17.3; OAL 0.901; crimp: 0.332;
85-gr HDY XTP	AA No. 2	1.60	1.80	612-695	18800 psi

32 ACP LOAD DATA (CAUTION: ALWAYS begin loads 10% below minimal charge weight)					
Bullet (Make, type)	Powder	Start Load, grs.	Max Load, grs.	Vel., fps	Notes

[illegible]